

DIESEL FORKLIFTS

Future-proof your business

Advanced Technology

- 5.6 inch LCD colour monitor
- Auto fork levelling system
- Load weight indicator
- Wet disc brake
- 4 piece bolt on cabin

Advanced Safety

- Auto park brake system
- Hill Start Assist Control
- Operator Presence Sensing System
- Machine Inclination Warning System
- Rear horn with handle

Environmentally friendly

- Choice of Hyundai Tier 3 or Kubota Tier 4 clean engines

The Driver's Choice

- Full suspension grammar seat
- Finger-tip controls (optional)
- High visibility masts
- Ergonomic design
- Rubber mounted operator area to reduce fatigue

Service and Support

- Ease of maintenance
- Clutch protection system
- Password start protection system
- Maintenance management system
- Rear tyre cover & under cover (optional)



PRODUCT GUIDE | DIESEL FORKLIFTS

			
Counter Balanced Tier 3	15D-7E	18D-7E	20DA-7E
Load Capacity	1500kg	1800kg	2000kg
Engine	KUBOTA v2203	KUBOTA v2204	KUBOTA v2205
Power	30.8kW	30.8kW	30.8kW
Min. Turning Radius	1984mm	2014mm	2050mm
Max. Lift Height	7m	7m	7m

				
Counter Balanced Tier 2	20D-7SA	25D-7SA	30D-7SA	35D-7SA
Load Capacity	2000kg	2500kg	3000kg	3500kg
Engine	Mitsubishi S4S	Mitsubishi S4S	Mitsubishi S4S	Mitsubishi S4S
Power	35.3kW	35.3kW	35.3kW	35.3kW
Min. Turning Radius	2330mm	2330mm	2450mm	2510mm
Max. Lift Height	6m	6m	6m	6m

				
Counter Balanced Tier 3	20DT-7	25DT-7	30DT-7	33DT-7
Load Capacity	2000kg	2500kg	3000kg	3300kg
Engine	HYUNDAI WIA	HYUNDAI WIA	HYUNDAI WIA	HYUNDAI WIA
Power	60kW	60kW	60kW	60kW
Min. Turning Radius	2260mm	2313mm	2398mm	2463mm
Max. Lift Height	7.9m	7.9m	7.9m	7.9m

			
Counter Balanced Tier 4	15D-9	18D-9	20D-9
Load Capacity	1500kg	1800kg	2000kg
Engine	3F183T	3F183T	3F183T
Power	37.2kW	37.2kW	37.2kW
Min. Turning Radius	2005mm	2005mm	2005mm
Max. Lift Height	7m	7m	7m

				
Counter Balanced Tier 4	25D-9	30D-9	33D-9	35DA-9
Load Capacity	2500kg	3000kg	3300kg	3500kg
Engine	KUBOTA V3307	KUBOTA V3308	KUBOTA V3309	KUBOTA V3310
Power	50kW	50kW	50kW	50kW
Min. Turning Radius	2342mm	2413mm	2463mm	2490mm
Max. Lift Height	7.9m	7.9m	7.9m	7.9m

			
Counter Balanced Tier 3	25D-9E	30D-9E	33D-9E
Load Capacity	2500kg	3000kg	3300kg
Engine	YANMAR 4TNE92	YANMAR 4TNE93	YANMAR 4TNE94
Power	33.4kW	33.4kW	33.4kW
Min. Turning Radius	2342mm	2413mm	2463mm
Max. Lift Height	7.9m	7.9m	7.9m

				
Counter Balanced Tier 4	35D-9F	40D-9F	45D-9F	50DA-9F
Load Capacity	3500kg	4000kg	4500kg	5000kg
Engine	KUBOTA V3800	KUBOTA V3801	KUBOTA V3802	KUBOTA V3803
Power	75kW	75kW	75kW	75kW
Min. Turning Radius	2868mm	2915mm	2965mm	3010mm
Max. Lift Height	6.5m	6.5m	6.5m	6.5m

				
Counter Balanced Tier 3	35D-9S	40D-9S	45D-9S	50D-9SA
Load Capacity	3500kg	4000kg	4500kg	5000kg
Engine	HMC D4DD	HMC D4DD	HMC D4DD	HMC D4DD
Power	70kW	70kW	70kW	70kW
Min. Turning Radius	2868mm	2915mm	2965mm	3010mm
Max. Lift Height	6.5m	6.5m	6.5m	6.5m



Counter Balanced Tier 3	70D-7E ACE	80D-7E ACE
Load Capacity	7000kg	8000kg
Engine	HMC D4DE	HMC D4DE
Power	73.5kW	73.5kW
Min. Turning Radius	3360mm	3600mm
Max. Lift Height	6.1m	6.1m



Counter Balanced Tier 4	50D-9	70D-9
Load Capacity	5000kg	7000kg
Engine	CUMMINS QSF 3.8	CUMMINS QSF 3.8
Power	75kW	75kW
Min. Turning Radius	3302mm	3429mm
Max. Lift Height	6.1m	6.1m



Counter Balanced Tier 4	110D-9	130D-9	160D-9
Load Capacity	11,000kg	13,000kg	16,000kg
Engine	CUMMINS QSB 6.7	CUMMINS QSB 6.7	CUMMINS QSB 6.7
Power	122kW	122kW	122kW
Min. Turning Radius	4343mm	4343mm	4902mm
Max. Lift Height	7.5m	7.5m	7.5m



Counter Balanced Tier 4	110D-7E	130D-7E	160D-7E
Load Capacity	11,000kg	13,000kg	16,000kg
Engine	CUMMINS QSB 6.7L	CUMMINS QSB 6.7L	CUMMINS QSB 6.7L
Power	142kW	142kW	142kW
Min. Turning Radius	4191mm	4191mm	4746mm
Max. Lift Height	7m	7m	7m



Counter Balanced Tier 3	160D-9L	180D-9B
Load Capacity	16,000kg	18,000kg
Engine	CUMMINS QSB 6.7	BENZ (MTU)
Power	122kW	210kW
Min. Turning Radius	5220mm	5220mm
Max. Lift Height	7m	7m



Counter Balanced Tier 4	180D-7E	250D-7E
Load Capacity	18,000kg	25,000kg
Engine	CUMMINS QSB 6.7L	CUMMINS QSL 6.7L
Power	194kW	204kW
Min. Turning Radius	5334mm	5867mm
Max. Lift Height	7m	7m



Counter Balanced Tier 4	250D-9	300D-9
Load Capacity	25,000kg	30,000kg
Engine	CUMMINS QSL	CUMMINS QSL9
Power	204kW	204kW
Min. Turning Radius	5867mm	5864mm
Max. Lift Height	7m	6.5m

WHY YOUR NEXT FORKLIFT SHOULD BE A HYUNDAI



FUTURE-PROOF YOUR BUSINESS WITH HYUNDAI SMART TECHNOLOGY & SAFETY

With Hyundai you can be confident that every high-performance forklift is at the forefront of safety, technology and environmental protection.

THE DRIVER'S CHOICE THAT DRIVES YOUR PRODUCTIVITY

Your drivers are your most important asset, and the forklift is their 'office'. When your driver sits in a Hyundai high-performance forklift they won't want to drive any other.

SERVICE & SUPPORT THAT ONLY AN INDEPENDENT DEALER CAN PROVIDE

You can depend on your local independent Hyundai Dealer to have your back and provide the very best service and support at all times. With Hyundai High Performance Forklifts you are a name not a number.

